

Reference	FM 4.67 Rev 2
Release Date	October 2013



Fire Protection Systems Information


60 Minute High Speed Craft Code Aluminium Deck Plate thickness 2mm and above

Profile Wrap System

Accompanies Method Statement FM-MS 02 PW

Product	FireMaster Marine Plus Blanket
Application Requirements	50mm of 70 kg/m ³ Blanket applied in one layer over deck plate and stiffeners. Aluminium foil applied between blanket & stiffeners. No foil is required on large beams.
Anchoring	CD welded pins 3mm diameter 12 to 25mm longer than blanket thickness. Friction fit retaining washers.
Weight	3.5 kg/m ² (applied to flat area)
System Drawing Reference	FM CAD 06-4.67
System Features	<p>Approved for minimum plate thickness of 2mm</p> <p>Single layer installation Flat installation over small stiffeners Beams profiled wrapped</p>
Certification	EU MED DNV

Reference	FM 4.67 Rev 2
Date of Issue	October 2013



www.morganadvancedmaterials.com

Morgan Thermal Ceramics Ltd., Tebay Rd, Bromborough, CH623PH, England